



PATHOS
THE UNORTHODOX APPROACH

INPOLREMIX MKII





There is no better way to listen to music

PATHOS



InPol ("Inseguitore Pompa Lineare" - Linear Pump Follower) is a system patented by Pathos Acoustics which has enjoyed great success and won many awards. InPol devices have a special sonic personality obtainable only by means of this particular circuit design - fully balanced in Class A using a single solid state component in follower configuration, with high current gain and with voltage gain together. The valve amplifier amplifies the input signal voltage and InPol supplies the current to drive the loudspeakers without any further amplification. In this way the signal is entrusted to the valves and becomes a true copy of the original, with all the quality, purity and harmonic content of the original. This technology allows an increase in the theoretical output in pure Class A of between 25% and 50% together with a low output impedance which is fundamental for the damping factor, and further improved by the double InPol.

InPolRemix MkII is a fully-balanced pure Class A integrated amplifier using the latest generation double-InPol circuitry. The digital bias/gain set technology with intelligent control is entrusted to the same microprocessor which regulates the volume, thus guaranteeing the performance of the amplifier itself and its ability to drive the loudspeakers efficiently.



INPOLREMIX_{MKII}

Thanks to the (optional) HiDac Mk2 converter, music lovers who want the best from the latest digital sources will find their demands fully met.



The elegant appearance design inherited from the ClassicRemix, with its compact dimensions make this a piece of audio equipment unique in its class. The central part of the chassis is carefully finished, while the lateral heatsinks, shaped to form the maker's logo, make a strikingly attractive statement and serve to highlight the carefully protected valves placed in the centre of the chassis.

InPolRemix MkII is available in various colours and personal choices of finish. InPolRemix raises the musical listening experience to the highest level, thanks to Pathos' audio design and engineering, and the use of components of the highest quality.



Main Specifications

Type:

Output power
Frequency response
Input sensitivity
Input impedance
Output polarity
Volume regulator
THD:
S/N Ratio:
Gain
Output impedance

Stereo integrated amplifier Pure class A
- double INPOL technology - fully balanced - digital Bias/gain set technology
2 x 25W@ 8 Ohm, 2 x 38W@ 4 Ohm
2Hz – 150KHz ± 0.5db
470mV
7KOhm^{RMS}
Selectable by remote control
2 x Burr Brown PGA2310 (180 steps
0,5dB) 0,1% @ 25W
> 100dB
31 db Unbalanced
0,9Ω

Connections

Analogue inputs

Digital inputs:

Outputs:

1 Balanced XRL line,
4 unbalanced RCA line Installation of (optional) HiDac Mk2 board is required to enable these inputs
1 USB port type "B", 1 SPDIF coaxial,
1 SPDIF optical
1 Pre out stereo line RCA
1 Pre out stereo line Balanced XLR
Pre-output phase can be selected
1 connector for jack headphone 6,3mm

Headphone specifications:

Output power
Output impedance
Max output level
Frequency response
THD

2,65W @ 32 Ω
0,45Ω
9,6 V^{RMS}
2Hz - 400KHz ± 0,5db
0,025%

Dimensions:

Weight:

370mm (D) x 280mm (W) x 170mm (H)
15,5Kg